ATTEND
Connect to Your Success

Product Brochure



Connectivity Solution Provider

ATTEND Technology was established as a professional connectivity solution provider based in Taiwan since 2002, specialized in various connectors and cable products, including memory socket, PCB card socket, I/O connector, M-series connector, and cable assembly. We pro-actively participate in our client's business and offer customized connectivity solutions under the "one stop service"strategy to meet any requirements and assist them to develop innovative products that gain a competitive edge in the global market.

CONTENT

Content ---- 02
About ATTEND Tech. ---- 03
Connector Series
- **Flash Memory Socket** ---- 04
  - CF Express
  - CFAST(Compact Fast)
  - CF(Compact Flash)
  - SD
  - Micro SD
  - Smart Card
- **PCB Card Socket** ---- 05
  - Mini PCI Express
  - M.2(NGFF)
  - Mini PCI
  - MXM
  - SO DIMM
  - SIM Card
- **I/O Connector** ---- 07
  - USB
  - HDMI
  - RJ45
  - SFP/SFP+/QSFP
  - OBD2
- **Circular Connector** ---- 10
  - M5/M8/M12/M23
  - Plastic(A/B/C/D size)
  - Sealed I/O
- **Others** ---- 13
  - Pogo Pin
  - FPC Connector
  - RF Micro Coaxial Connector
  - Battery Connector

Cable Solution ---- 14
Global Distributor ---- 15

Connect to Your Success

ATTEND is your most trustworthy partner and your first choice for innovative connectivity soutions. We are dedicated to providing world-class connectivity solutions. Our value proposition is built upon on the core principle of "Connect to Your Success". This is a common goal we share with our customers. This guiding principle drives us to devolop integrated service innovations, which enables us to win in every promising market and to connect every success in the networking business.

Industrial Application

We have an expert sales and engineer team with abundant experience in electronic connectivity business, and develop a product roadmap could applicability in 7 different industries, including Industrial control, Networking, Telecommunication, Commercial products, Embedded system, Automation, and Medical Devices.

Our Connector Solution

As a professional connectivity solution provider , ATTEND is your one-stop total solution provider with our complete range of connector products for various applications from Networking communication, ethernet embedded system, data transmission, vehicle tracking...etc. since our specialty is from the networking and consumer application, we are not only providing high-quality products in a timely manner but also support the professional technical support to make we been your most reliable partner!

Our Cable Solution

Our cable assembly solutions provide the advantage of customization service and design-in research and development which enables early involvement + higher success rate for your innovative projects. In addition, ATTEND is also equipped with advanced tooling technology and state of the art manufacturing facilities which enables the realization of innovative products and help our customers gain a competitive edge in the market.

Everything we do is for your success,
It is our goal, our philosophy and our passion.

Flash Memory Socket

CF Express/CFAST(Compact Fast)/CF(Compact Flash)/SD/Mirco SD/Smart Card

CF

Type I/II

101B-TAA0-R

Ejector

Ejector L=20mm
101C-ESB0-R

Standard Slim

Locating Peg: 38.74mm
101D-TAAB-R01
Locating Peg: 40.16mm
101D-TAAA-R01
Locating Peg: 38.74mm, Stand off 1.4mm
101D-TACB-R01
Locating Peg: 40.16mm, Stand off 1.4mm
101D-TACA-R01

Reverse Slim

Locating Peg: 38.74mm
101D-RAAB-R01
Locating Peg: 40.16mm
101D-RAAA-R01
Locating Peg: 38.74mm, Stand off 1.4mm
101D-RACB-R01
Locating Peg: 40.16mm, Stand off 1.4mm
101D-RACA-R01

SD

Push-Pull

with switch
104C-TAA1

Push-Push

with switch
104D-RCA0-RA1

Push-Push

104D-TCA0-R06
Stand off 1.8mm
104D-TCC0-R06

Push-Push

with card lock
104H-TDA0-R01

CFexpress

Push-Push

15u"
101M-TE10

Push-Pull

15u"
101M-TE20

Push-Pull w/Lock

15u"
101M-TE30

CFAST

Push-Pull

H=6.05mm
120A-605D00
H=8.35mm
120A-835D00

Push-Pull

with lock, H=8.35mm
120B-835D00

Push-Push

H=6.05mm
120C-605D00
H=8.35mm
120C-835D00

Slim

H=4.15mm
120D-4C00

Vertical

without lock
120E-0G00

Vertical

with lock
120E-1G00

Micro SD

Push-Push

112L-TDA0

Hinge

10u"
112C-TBAR-R02

Push-Push

with switch, H= 1.85mm
112J-TDAR-R01

Push-Push

H=1.83mm
112A-TAAR-R03

Push-Pull

with switch
112I-TA01

Push-Pull

short profile
112K-TAA0-RA1

Combo, Push-Push

Micro SD+SIM
112G-TA00-R

Smart Card

Two-sided

DIP
116F-DBC0

One-sided

SMT
116G-SBO0

PCB Card Socket

Mini PCI Express/M.2(NGFF)/Mini PCI/MXM/SO DIMM/SIM Card

Mini PCI Express

Height=4.0mm

119A-40A00-R02

Accessories

119A-40LATCH, Single Latch
119A-LATCH-40, Dual Latch
119A-NUT-40-R02, Nut
119A-SCREW-R02, Screw

Height=5.6mm

119A-56A00-R02

Accessories

119A-56LATCH, Single Latch
119A-LATCH-56, Dual Latch
119A-NUT-56-R02, Nut
119A-SCREW-R02, Screw

Height=7.0mm

119A-70A00-R02

Accessories

119A-NUT-70-R02, Nut
119A-SCREW-R02, Screw

Height=8.0mm

119A-80A00-R02

Accessories

119A-LATCH-80, Dual Latch
119A-NUT-80-R02, Nut
119A-SCREW-R02, Screw

Height=9.2mm

119A-92A00-R02

Accessories

119A-LATCH-92, Dual Latch
119A-NUT-92-R02, Nut
119A-SCREW-R02, Screw

Height=9.9mm

119A-99A00-R02

Accessories

119A-NUT-99-R02, Nut
119A-SCREW-R02, Screw

M.2

A Key

H=2.1mm
123A-21A00
H=3.0mm
123A-30A00
H=4.0mm
123A-40A00
H=8.5mm
123A-85AA0

Accessory

Single Latch for 3.0 H
123A-30L1
Single Latch for 4.0 H
123A-40L1

B Key

H=2.1mm
123A-21B00
H=3.0mm
123A-30B00
H=4.0mm
123A-40B00
H=5.8mm
123A-58B01
H=8.5mm
123A-85BA0

Accessory

Single Latch for 3.0 H
123A-30L1
Single Latch for 4.0 H
123A-40L1
Single Latch for 5.8 H
123A-58L1

E Key

H=2.1mm
123A-21E00
H=3.0mm
123A-30E00
H=4.0mm
123A-40E00
H=5.8mm
123A-58E01
H=8.5mm
123A-85EA0

Accessory

Single Latch for 3.0 H
123A-30L1
Single Latch for 4.0 H
123A-40L1
Single Latch for 5.8 H
123A-58L1

M key

H=2.1mm
123A-21M00
H=3.0mm
123A-30M00
H=4.0mm
123A-40M00
H=5.8mm
123A-58M01
H=8.5mm
123A-85MA0

Accessory

Single Latch for 3.0 H
123A-30L1
Single Latch for 4.0 H
123A-40L1
Single Latch for 5.8 H
123A-58L1

Mini PCI

Height=4.0mm

114B-40B00-R02

Height=9.2mm

114B-92B00-R02

MXM



MXM2, 230 pin

H=7.8mm
125A-78C00



MXM3, 314 pin

H=7.8mm
125B-78C00

SO DIMM (DDR4)

DDR4, Horizontal

Standard, H=4.0mm
124A-40A03
Reverse, H=4.0mm
124A-40A13
Standard, H=5.2mm
124A-52A03
Reverse, H=5.2mm
124A-52A13
Standard, H=8.0mm
124A-80A03
Reverse, H=8.0mm
124A-80A13
Standard, H=9.2mm
124A-92A03
Reverse, H=9.2mm
124A-92A13

DDR4,Vertical

Standard, H=14.7mm
124B-150A00
Reverse, H=14.7mm
124B-150A10

SO DIMM (DDR3)

DDR3, Horizontal

Standard, H=5.2mm
122A-52A00
Standard, H=9.2mm
122A-92A00

DDR3, Vertical

Standard
122B-150A01
Reverse
122B-150A11

DDR3, Dual Port

H=4.2mm
122C-42A00

SIM Card (Mini SIM)



Mini SIM, Push-Push

6+2 Pin, SMT, with switch
115A-ADA0-R02
8+2 Pin, SMT, with switch
115A-BDA0-R01

Mini SIM, Hinge

Plastic Hinge, 6 Pin
115B-AAA0-R01
Plastic Hinge, 8 Pin
115B-BAA0-R01
6+2 Pin, with switch
115F-AAA2

Mini SIM, Hinge

Metal Hinge, 6 Pin
115G-AAAA-R

Mini SIM, Holder

6 Pin, H=2.6mm
115C-AC00-01
8 Pin, H=2.6mm
115C-BC00-01
6+2 Pin, w/CDS, normal close
115J-ACC0
6+2 Pin, w/CDS, normal open
115J-ACO0
8+2 Pin, w/CDS, normal close
115J-BCC0
8+2 Pin, w/CDS, normal open
115J-BCO0

Mini SIM, Push bar

6 Pin with Switch / Tray
115T-AAA1
115T-AAB1, with Post

8 Pin with Switch / Tray
115T-BAA1
115T-BAB1, with Post

Accessory

Tray, PBT Black
115-00004

Mini SIM, Dual card

Push-Pull Type, H=3.0mm
115H-BA00

SIM Card (Micro SIM)

Micro SIM, Push-Pull

6 Pin
115I-AEAA
8 Pin
115I-BEAA-RA1

Micro SIM, Push-Push

8 Pin, with switch
115Q-BCA0

Micro SIM, Hinge

8 Pin
115R-BCA0

SIM Card (Nano SIM)

Nano SIM, Push-Pull

H=1.2mm
115U-A000



Nano SIM, Eject

with Tray,Top Mount, H=1.35mm
115S-ACA0

Accessories

Customized tray w/o door
115S-ACA1

Tray, Length=18.11mm
115S-ACA2

Tray, Length=16.31mm
115S-ACA3

Nano SIM, Dual Eject

with Tray,
115S-BS00

Accessory

Tray, Length=16.9mm, with card clip
115S-BT02

Nano SIM, Hinge

H=2.60mm
115V-AD00

Nano SIM,Tray-Push Push

115U-A101

Accessory

Tray, Length=16.25 mm
115U-T001

Nano SIM, Push-Push

6 Pin, G/F
115U-A103

Dual Nano SIM, Tray-Push Push

Lock w/Switch, G/F
115U-B100

Accessory

Tray, PC+ABS, Black
115U-T003

I/O Connector

USB/HDMI/RJ45/SFP/SFP+/QSFP/OBD2

USB (C Type)

C Type, Flank Receptacle

T/H w/SDM Type
217E-BA01

C Type, Right Angle

Hybrid Type
217B-AG01

C Type, Right Angle

Hybrid Type, Middle Mount
217C-AA01

C Type, Right Angle

SMT Type
217B-BC02

USB (3.0)

USB3.0, A Type Receptacle

Flank, DIP
209B-DA04

USB3.0, A Type Receptacle

Right Angle, DIP
209B-DG01

USB3.0, A Type Receptacle

Right Angle, Middle Mount, DIP
209B-DG02

USB3.0, A Type Receptacle

Right Angle, SMT
209B-SG01

USB3.0, B Type Receptacle

Right Angle, DIP
209D-DG01

Micro USB 3.0, B Type Receptacle

Right Angle, SMT, DIP,Metal Shell
209E-BE01

Micro USB 3.0, B Type Receptacle

Right Angle, SMT, Metal Shell
209E-BE00

USB (Powered)

Powered USB, Receptacle

5V, 30u" Gold, [Black]
218B-5G01

Powered USB, Plug

8 Pin, OD6.5, 10u" Gold, 5V [Black]
218A-5D01

Powered USB, Receptacle

12V, 30u" Gold, [Green]
218B-12G01

Powered USB, Plug

8 Pin, OD6.5, 10u" Gold, 12V [Green]
218A-12D01

Powered USB, Receptacle

24V, 30u" Gold, [Red]
218B-24G01

Powered USB, Plug

8 Pin, OD6.5, 10u" Gold, 24V [Red]
218A-24D01

USB (2.0)

USB 2.0, A Type Receptacle

Top Mount, SMT
205B-SAN0-R
Right Angle, DIP
205B-DAN0-R
Vertical, DIP
205C-DAN0-R02
Flank, DIP
205F-DAN0-R

USB 2.0, B Type Receptacle

Right Angle, DIP
205D-DAN0-R
Right Angle, SMT
205D-SAN0-R
Vertical, DIP
205E-DAN0-R
Vertical, SMT
205E-SAN0-R

Micro USB 2.0 Receptacle

A/B Type, Right Angle, SMT, 30u"
207A-ABA0-R
B Type, DIP, GF
207A-BAB0-01
B Type, Right Angle, SMT, 30u"
207A-BBA0-R

Micro USB 2.0 Receptacle

B Type, Vertical, SMT, GF
207F-BA00

Mini USB 2.0, Receptacle

A/B Type, Right Angle, SMT, 30u"
202C-FBT0-R03

Mini USB 2.0, Receptacle

B Type, Right Angle, SMT, 30u"
202A-FBNR-R03
B Type, Vertical, DIP, 30u"
202D-FBN0-R
B Type, Vertical, SMT, 10u"
202G-FDN0-R

Micro USB 2.0, Waterproof

B Type, Right Angle, SMT
207G-BD00
B Type, Right Angle, SMD with post
207G-BD01

USB (Dual/Combo)

Dual USB 3.0, A Type

Receptacle, DIP
209B-DA06

Combo USB 3.0

Dual USB 3.0 + RJ45 Magnetic
Right Angle, DIP
209G-CCN0

Dual USB 2.0, A Type

Right Angle, DIP
205G-AAN0-RA2

Combo USB 2.0

Dual USB 2.0 + RJ45 Magnetic
Right Angle, DIP
205G-CCN0

HDMI

HDMI Connector, A Type

Right Angle, SMT, with Peg
206A-SABN

Right Angle, SMT
206A-SEAN-R03

HDMI Connector, A Type

Right Angle, SMT, with Flange
206B-SABN

Right Angle, SMT, with Flange
206B-SEAN-R01

Mini HDMI Connector, C Type

Right Angle, SMT, Shell DIP
206G-SGAN-R01

Rj45 (Shielded)

Shielded Type, w/ LED

211C-12CAA (1x2)
211C-14CAA (1x4)

Shielded Type, w/o LED

210A-11C0A-R(1x1)
210A-11C0B-R(1x1)
210A-14C0B-R(1x4)

Shielded Type, w/ LED

w/ EMI Tab
211A-11CAA-R01(1x1)
211A-12CAA-R(1x2)
211A-14CAA-R(1x4)
211A-16CAA-R(1x6)

w/o EMI Tab
211A-11CBA-R01(1x1)
211A-12CBA-R(1x2)

Shielded Type, w/o LED

Vertical
210A-11C0A-RA10

Middle Mount
210A-11C0B-RA4

Rj45 (High Speed)

Shielded, High Speed Cat 5e Type

210C-11CA0

Plastic, High Speed Cat 5e Type

210C-11CE0

Shielded, High Speed Cat 6 Type

210D-11CB1
210D-11CB2
210D-11CB3

Rj45 (PoE)

PoE,Gigabit Type, w/ EMI Tab

w/ LED
214B-11CAA(Y+G)

PoE Type, w/o EMI Tab, w/ LED

214A-11CAA(Y+G)
214A-11CAB(G+Y)

Rj45 (Magnetic)

Magnetic Type, w/o LED

Bottom Latch
212A-11CA0-R

Upper Latch, 10/100 Base
212A-11CA0-RA13

Upper Latch, Gigabit
212A-11CA0-RA14

Magnetic Type, w/o LED

212A-11CA0-RA9(1x1)
212A-12CA0-RA10(1x2)
212A-14CA0-RA11(1x4)

Upper Latch
212A-14CA0-RA12(1x4)

Magnetic Type, w/o LED

Right Angle, Upper Latch
212B-14CA0

Magnetic Type, w/ LED

Bottom Latch
213A-11CAA-R
Upper Latch
213A-11CAA-RA13
Upper Latch, w/o EMI
213A-11CBA-RA13

Magnetic Type, w/ LED

Bottom Latch
213A-12CAA-RA12(1x2)
Upper Latch
213A-14CAA-RA14(1x4)

Magnetic, Giga Type, w/ LED

Vertical
213B-11CBA

Magnetic, Giga Type

Bottom Latch
213B -14CAA, w/ LED
Upper Latch
212B-14CA0, w/o LED

Magnetic Type, w/ LED

Upper Latch
213B-14CAB-01

Magnetic, w/o LED

Middle Mount, Upper Latch
212A-11CC0-RA7
212A-11CD0-RA8

Rj45 (Plastic)

Plastic Type, w/o LED

Upper Latch
210B-66CA0-R(6P6C)
210B-64CA0-R(6P4C)
210B-62CA0-R(6P2C)

Bottom Latch
210B-66CB0-R(6P6C)
210B-64CB0-R(6P4C)
210B-62CB0-R(6P2C)
210B-44CB0-R

Plastic Type, w/o LED

Vertical
211B-11C0B-01

Plastic Type

Upper Latch, w/ LED
211B-12C0A-R(1x2)
211B-14C0A-R(1x4)

Bottom Latch, w/o LED
211B-12A00-RA19(1x2)
211B-14A00-RA20(1x4)
211B-18A00-RA21(1x8)

Plastic Type

Upper Latch
210B-88CA0-R

Bottom Latch
210B-88CB0-R

w/ LED
211B-11C0A-R

w/o LED
211B-11C00-R

SFP

SFP

20 Pin, SMT
223A-00C0

SFP, Press Fit Type

1x1 Cage
223A-1101

SFP, Through Hole Type

1x1 Cage
223A-1102

SFP, Press Fit Type

1x1 Cage with Light Pipe
223A-1105

SFP, Press Fit Type

1x4 Cage
223A-1401

QSFP

QSFP, Press Fit Type

1x1 Cage with Heatsink
223C-1105

QSFP, Press Fit Type

1x2 Cage with Heatsink, Light Pipe
223C-1207

QSFP, Press Fit Type

1x3 Cage
223C-1301

QSFP, Press Fit Type

1x4 Cage
223C-1401

QSFP, Press Fit Type

1x6 Cage
223C-1601

QSFP, Press Fit Type

2x1 Cage, 15u" w/connector
223C-2103

QSFP, Press Fit Type

2x2 Cage, 15u" w/connector
223C-2203

QSFP

38 Pin, SMT
223C-00E0

OBD2



OBD2, Type A Male

16 Pin, 12V, Solder , Overmold
226A-1201

16 Pin, 12V, Right Angle, DIP
226A-1202

16 Pin, 12V, Housing, Overmold
226A-H001

Accessory

Male Pin, Crimp, Brass, G/F, 18-22AWG*
226A-T001

*American wire gauge

OBD2, Type B Male

16 Pin, 24V, Solder, Overmold
226A-2401

16 Pin, 24V, Housing, Overmold
226A-H002

Accessory

Male Pin, Crimp, Brass, G/F,18-22AWG
226A-T001

OBD2, Type A/B Female

16 Pin, 12V, Solder, Overmold
226B-1201

Accessories (Flange Mount)

Female Pin, Crimp, PBS, Tin, 18-22 AWG
226B-T002

Housing, Flange Mount
226B-H002

Latch Cover, Nylon, Blue
226B-A002

Accessories (Mounting Ears)

Female Pin, Crimp, PBS, Tin, 18-22 AWG
226B-T002

Housing, Mounting Ears
226B-H003

Latch Cover, Nylon, Gray
226B-A001

Accessories (Panel Mount)

Female Pin, Crimp, Brass, Tin, 18-22 AWG
226B-T001

Housing, Crimp Type
226B-H001

Circular Connector

Metal/Plastic/Sealed I/O

M5

M5 A Code, 4 Pin Male

Straight , Front Fastened
220A-04MSF

M5 A Code, 4 Pin Male

Right Angle, Front Fastened
220A-04MRF

M5 A Code, 4 Pin Female

Straight , Front Fastened
220A-04FSF

M5 A Code, 4 Pin Female

Right Angle, Front Fastened
220A-04FRF

M5 A Code, 4 Pin Male

Plug, Overmold with cable
220A-04MO0

M5 A Code, 4 Pin Female

Plug, Overmold with cable
220A-04FO0

M8



M8 A Code, 4 Pin Male

Plug, Overmold with cable
219A-04MO0

M8 A Code, 4 Pin Female

Plug, Overmold with cable
219A-04FO0
219A-04FO0-01, 9.2Nut

M8 A Code, 5 Pin Male

Plug, Overmold with cable
219A-05MO0

M8 A Code, 5 Pin Female

Plug, Overmold with cable
219A-05FO0

M8



M8 A Code, 2 Pin Female

Straight Type, Front Fastened
219A-02FSF

M8 A Code, 3 Pin Female

Solder Type, Front Fastened
219A-03FAF

M8 A Code, 4 Pin Male

Solder Type, Front Fastened
219A-04MAF

M8 A Code, 4 Pin Male

Straight, Front Fastened
219A-04MSF

M8 A Code, 4 Pin Male

Straight, Rear Fastened
219A-04MSR

M8 A Code, 5 Pin Male

Solder Type, Front Fastened
219A-05MAF

M12

M12 A Code, Cable Solder Type

Male	Female
2 Pin 216A-02MAR	5 Pin 216A-05FAR
8 Pin 216A-08MAR	
12 Pin 216A-12MAR	

M12 A Code, Cable Solder Type

Male	Female
2 Pin 216A-02MAF	5 Pin 216A-05FAF
4 Pin 216A-04MAF	8 Pin 216A-08FAF
5 Pin 216A-05MAF	10 Pin 216A-10FAF
8 Pin 216A-08MAF	

M12 A Code, PCB through hole Type

Male	Female
4 Pin 216A-04MSF	5 Pin 216A-05FSF
5 Pin 216A-05MSF	8 Pin 216A-08FSF
8 Pin 216A-08MSF	12 Pin 216A-12FSF
12 Pin 216A-12MSF	8 Pin, Right Angle 216A-08FRF
8 Pin, Right Angle 216A-08MRF	

M12 A Code, Overmold with cable

Male	Female
4 Pin 216A-04MO0	2 Pin 216A-02FO0
5 Pin 216A-05MO0	5 Pin 216A-05FO0
8 Pin 216A-08MO0	8 Pin 216A-08FO0
10 Pin 216A-10MO0	10 Pin 216A-10FO0
	12 Pin 216A-12FO0

M12 A Code, Install with Cable

Male	Female
8 Pin 216A-08MF0	8 Pin 216A-08FF0

M12 D Code, 4 Pin Female

Solder Type,
Front Fastened
216D-04FAF

DIP Type, Front Fastened
216D-04FSF

Plug, Overmold with cable
216D-04FO0

M12 X Code, 8 Pin

Male, Plug, For Overmold with Cable
216X-08MO0

Female, Solder Type, Front Fastened
216X-08FAF

Female, Straight,Front Fastened
216X-08FSF

Female, Straight,Rear Fastened
216X-08FSR

M23

M23 A Code, 6 Pin Male

Straigh, Front Fastened
221A-06MSF
Straight, Rear Fastened
221A-06MSR

M23 A Code, 5 Pin Female

Straight, Front Fastened
221A-05FSF

M23 A Code, 4 Pin Male

Plug, Overmold with cable
221A-04MO0

M23 A Code, 5 Pin

Female, Plug, Field Installable
221A-05FF0
Male, Plug, Field Installable
221A-05MF0
Female, Plug, Overmold with cable
221A-05FO0

A Size

A size, Waterproof circular connector

227A - A size (Mini size 7/16" - 28UNS)

227A - XX (Number of Pins: 02, 03) M (Gender: M:Male, F:Female) XX

Female Connector, Female Pin

Pin Assignment					
Pin Count	2Pin	3Pin	4Pin	5Pin	6Pin
Current Rating	5A	5A	2A	2A	2A

Male Connector, Male Pin

Pin Assignment					
Pin Count	2Pin	3Pin	4Pin	5Pin	6Pin
Current Rating	5A	5A	2A	2A	2A

Drawing Number:227A-DMM0
DIP Pin, Male Socket Male Pin, Panel Fixed Front Fastened Bayonet

Current Rating Per Pin	Number of Pins	P/N
5A	2P	227A-02M02
	3P	227A-03M02
2A	4P	227A-04M02
	5P	227A-05M02
	6P	227A-06M02
Accessory		227A-0001

Drawing Number:227A-SMM0
Solder Pin, Male Socket Male Pin, Panel Fixed Front Fastened Bayonet

Current Rating Per Pin	Number of Pins	P/N
5A	2P	227A-02M03
	3P	227A-03M03
2A	4P	227A-04M03
	5P	227A-05M03
	6P	227A-06M03
Accessory		227A-0001

Drawing Number:227A-MFF0
Solder Pin, Female Socket Female Pin, Overmolding Cable Lock Bayonet

Current Rating Per Pin	Number of Pins	P/N
5A	2P	227A-02F02
	3P	227A-03F03
2A	4P	227A-04F02
	5P	227A-05F02
	6P	227A-06F02

Drawing Number:227A-MMM0
Solder Pin, Male Socket Male Pin, Overmolding Cable Lock Bayonet

Current Rating Per Pin	Number of Pins	P/N
5A	2P	227A-02M04
	3P	227A-03M04
2A	4P	227A-04M04
	5P	227A-05M04
	6P	227A-06M04
Accessory		227A-0001

Drawing Number:227A-AFF0
Solder Pin, Female Socket Female Pin, Field Installable Lock Bayonet

Current Rating Per Pin	Number of Pins	P/N
5A	2P	227A-02F01
	3P	227A-03F01
2A	4P	227A-04F01
	5P	227A-05F01
	6P	227A-06F01

Drawing Number:227A-AMM0
Solder Pin, Male Socket Male Pin, Field Installable Lock Bayonet

Current Rating Per Pin	Number of Pins	P/N
5A	2P	227A-02M01
	3P	227A-03M01
2A	4P	227A-04M01
	5P	227A-05M01
	6P	227A-06M01
Accessory		227A-0001

B Size

B size, Waterproof circular connector

227B - B size (Standard size 5/8" - 27UNS)

227B - XX (Number of Pins: 02, 03) M (Gender: M:Male, F:Female) XX

Female Connector, Female Pin

Pin Assignment						
Pin Count	2Pin	3Pin	4Pin	5Pin	6Pin	7Pin
Current Rating	5A	5A	5A	5A	5A	5A

Pin Assignment						
Pin Count	8Pin	2Pin	3Pin	4Pin	10Pin	12Pin
Current Rating	5A	10A	10A	10A	2A	2A

Male Connector, Male Pin

Pin Assignment						
Pin Count	2Pin	3Pin	4Pin	5Pin	6Pin	7Pin
Current Rating	5A	5A	5A	5A	5A	5A

Pin Assignment						
Pin Count	8Pin	2Pin	3Pin	4Pin	10Pin	12Pin
Current Rating	5A	10A	10A	10A	2A	2A

Drawing Number:227B-DMM0
DIP Pin, Male Socket Male Pin, Panel Fixed Front Fastened Bayonet

Current Rating Per Pin	Number of Pins	P/N
10A	2P	227B-02M03
	3P	227B-03M04
	4P	227B-04M02
5A	2P	227B-02M04
	3P	227B-03M05
	4P	227B-04M03
	5P	227B-05M02
	6P	227B-06M02
	7P	227B-07M01
	8P	227B-08M02
2A	10P	227B-10M01
	12P	227B-12M01
Accessory		227B-0001

Drawing Number:227B-SMM0
Solder Pin, Male Socket Male Pin, Panel Fixed Front Fastened Bayonet

Current Rating Per Pin	Number of Pins	P/N
10A	2P	227B-02M05
	3P	227B-03M07
	4P	227B-04M04
5A	2P	227B-02M06
	3P	227B-03M08
	4P	227B-04M05
	5P	227B-05M03
	6P	227B-06M03
	7P	227B-07M02
	8P	227B-08M03
2A	10P	227B-10M03
	12P	227B-12M03
Accessory		227B-0001

Drawing Number:227B-MFF0
Solder Pin, Female Socket Female Pin, Overmolding Cable Lock Bayonet

Current Rating Per Pin	Number of Pins	P/N
10A	2P	227B-02F06
	3P	227B-03F07
	4P	227B-04F05
5A	2P	227B-02F07
	3P	227B-03F08
	4P	227B-04F06
	5P	227B-05F03
	6P	227B-06F03
	7P	227B-07F03
	8P	227B-08F04
2A	10P	227B-10F03
	12P	227B-12F03

Drawing Number:227B-MMM0
Solder Pin, Male Socket Male Pin, Overmolding Cable Lock Bayonet

Current Rating Per Pin	Number of Pins	P/N
10A	4P	227B-04M06
5A	2P	227B-02M08
	3P	227B-03M13
	6P	227B-06M04
	8P	227B-08M06
Accessory		227B-0001

Drawing Number:227B-AFF0
Solder Pin, Female Socket Female Pin, Field Installable Lock Bayonet

Current Rating Per Pin	Number of Pins	P/N
10A	2P	227B-02F01
	3P	227B-03F02
	4P	227B-04F01
5A	2P	227B-02F02
	3P	227B-03F03
	4P	227B-04F02
	5P	227B-05F01
	6P	227B-06F01
	7P	227B-07F01
	8P	227B-08F01
2A	10P	227B-10F01
	12P	227B-12F01

Drawing Number:227B-AMM0
Solder Pin, Male Socket Male Pin, Field Installable Lock Bayonet

Current Rating Per Pin	Number of Pins	P/N
10A	4P	227B-04M01
5A	2P	227B-02M02
	3P	227B-03M03
	6P	227B-06M01
	8P	227B-08M01
Accessory		227B-0001

C Size

C size, Waterproof circular connector

227C- C size (Middle size 13/16" - 28UNS)

227C- XX M XX

XX	M	XX
Number of Pins	Gender	
02	M:Male	
03	F:Female	

Female Connector, Female Pin

Pin Assignment			
Pin Count	3Pin	4Pin	5Pin
Current Rating	20A	10A	10A

Pin Assignment				
Pin Count	14Pin	10Pin	18Pin	20Pin
Current Rating	5A	2A	2A	2A

Drawing Number:227C-DMM0
DIP Pin, Male Socket Male Pin, Panel Fixed Front Fastened Bayonet

Current Rating Per Pin	Number of Pins	P/N
10A	4P	227C-04M03
	5P	227C-05M03
5A	7P	227C-07M02
	14P	227C-14M01
2A	10P	227C-10M02
	18P	227C-18M01
	20P	227C-20M02
Accessory		227C-0001

Drawing Number:227C-MFF0
Solder Pin, Female Socket Female Pin, Overmolding Cable Lock Bayonet

Current Rating Per Pin	Number of Pins	P/N
20A	3P	227C-03F05
10A	4P	227C-04F02
	5P	227C-05F02
5A	14P	227C-14F02
2A	10P	227C-10F01
	18P	227C-18F02
	20P	227C-20F02

Drawing Number:227C-AFF0
Solder Pin, Female Socket Female Pin, Field Installable Lock Bayonet

Current Rating Per Pin	Number of Pins	P/N
20A	3P	227C-03F02
10A	4P	227C-04F01
	5P	227C-05F01
5A	14P	227C-14F01
2A	18P	227C-18F01
	20P	227C-20F01

Male Connector, Male Pin

Pin Assignment				
Pin Count	3Pin	4Pin	5Pin	7Pin
Current Rating	20A	10A	10A	5A

Pin Assignment				
Pin Count	14Pin	10Pin	18Pin	20Pin
Current Rating	5A	2A	2A	2A

Drawing Number:227C-SMM0
Solder Pin, Male Socket Male Pin, Panel Fixed Front Fastened Bayonet

Current Rating Per Pin	Number of Pins	P/N
20A	3P	227C-03M04
10A	4P	227C-04M04
	5P	227C-05M04
5A	14P	227C-14M02
2A	10P	227C-10M03
	18P	227C-18M02
	20P	227C-20M03
Accessory		227C-0001

Drawing Number:227C-MMM0
Solder Pin, Male Socket Male Pin, Overmolding Cable Lock Bayonet

Current Rating Per Pin	Number of Pins	P/N
20A	3P	227C-03M07
10A	4P	227C-04M06
	5P	227C-05M06
Accessory		227C-0001

Drawing Number:227C-AMM0
Solder Pin, Male Socket Male Pin, Field Installable Lock Bayonet

Current Rating Per Pin	Number of Pins	P/N
20A	3P	227C-03M02
10A	4P	227C-04M02
Accessory		227C-0001

Sealed I/O

D Size

D size, Waterproof circular connector

227D-D size (Large size 1" - 20UNEF)

227D- XX M XX

XX	M	XX
Number of Pins	Gender	
02	M:Male	
03	F:Female	

Female Connector, Female Pin

Pin Assignment					
Pin Count	4Pin	5Pin	7Pin	18Pin	20Pin
Current Rating	20A	20A	20A	5A	2A

Pin Assignment				
Pin Count	21Pin	22Pin	24Pin	25Pin
Current Rating	2A	2A	2A	2A

Drawing Number:227D-DMM0
DIP Pin, Male Socket Male Pin, Panel Fixed Front Fastened Bayonet

Current Rating Per Pin	Number of Pins	P/N
5A	18P	227D-18M04
Accessory		227D-0001

Drawing Number:227D-MFF0
Solder Pin, Female Socket Female Pin, Overmolding Cable Lock Bayonet

Current Rating Per Pin	Number of Pins	P/N
20A	4P	227D-04F02
	5P	227D-05F04
	7P	227D-07F02
5A	18P	227D-18F16
2A	20P	227D-20F01
	21P	227D-21F01
	22P	227D-22F01
	24P	227D-24F01
	25P	227D-25F01

Drawing Number:227D-AFF0
Solder Pin, Female Socket Female Pin, Field Installable Lock Bayonet

Current Rating Per Pin	Number of Pins	P/N
20A	4P	227D-04F01
	5P	227D-05F01
	7P	227D-07F01
5A	18P	227D-18F01

Male Connector, Male Pin

Pin Assignment				
Pin Count	4Pin	5Pin	7Pin	18Pin
Current Rating	20A	20A	20A	5A

Pin Assignment					
Pin Count	20Pin	21Pin	22Pin	24Pin	25Pin
Current Rating	2A	2A	2A	2A	2A

Drawing Number:227D-SMM0
Solder Pin, Male Socket Male Pin, Panel Fixed Front Fastened Bayonet

Current Rating Per Pin	Number of Pins	P/N
20A	5P	227D-05M03
	7P	227D-07M02
5A	18P	227D-18M08
2A	20P	227D-20M01
	21P	227D-21M01
	22P	227D-22M01
	24P	227D-24M01
	25Pn	227D-25M01
Accessory		227D-0001

Drawing Number:227D-MMM0
Solder Pin, Male Socket Male Pin, Overmolding Cable Lock Bayonet

Current Rating Per Pin	Number of Pins	P/N
20A	4P	227D-04M02
	5P	227D-05M04
5A	18P	227D-18M18
Accessory		227D-0001

Drawing Number:227D-AMM0
Solder Pin, Male Socket Male Pin, Field Installable Lock Bayonet

Current Rating Per Pin	Number of Pins	P/N
20A	4P	227D-04M01
	5P	227D-05M01
5A	18P	227D-18M02
Accessory		227D-0001

USB 2.0 A Type Receptacle

Straight PCB Type, GF
222A-01001
222A-01003
Accessory 222A-00001

HDMI A Type Receptacle

Solder Type, 15u"
222A-02001
Accessory 222A-00001

RJ45 8P8C Receptacle

Straight PCB Type, GF
222A-03001
Plastic Type, w/ PCB
222A-03002
Plastic Type, w/ PCB, Fastened Bayonet
222A-03004
Jack to Jack Type
222A-03005

Mini USB B Type Receptacle

Straight PCB Type, GF
222A-04001

Nano SIM Type Receptacle

FFC/FPC Connector Type
222A-05004
Accessory 222A-05005

Others

Pogo Pin/FPC Connector/RF Micro Coaxial Connector/Battery Connector

Pogo Pin (Single)

Pogo Pin, Single Pin

T/L 5.0mm W/H 3.6mm
303A-361420-000

T/L 3.4mm W/H 2.6mm
303A-250918-002

Pogo Pin, Single Pin

H=6.0mm Rectangle Body
Right Angle, SMT 5u"
303A-441615-000

Pogo Pin, Single Pin

H=7.50mm, 10u"
303A-753018-000

Pogo Pin, Single Pin

Machine Pin, H=4.4mm, 10u"
303A-C4418-000

Pogo Pin (Multiple)



Pogo Pin, Multiple Pin

Right Angle , 2Pin Pitch
2.5mm T/L 5.3mm W/H 3.9mm
303B-351819-25-000

Pogo Pin, Multiple Pin

Right Angle , XXPin, 2.54P,
10u", 2.5H, DIP, Cap
303B-411806-254-XXX

Pogo Pin, Multiple Pin

XXPin, 2.54P, 10u", 7.5H 3.1 Stroke,
SMT, Cap
303B-443118-254-XX

Machine Pin, XXPin, 2.54P, 10u"
H4.4x1.8dia., SMT, Cap
303B-C4418-254-XX

Pogo Pin, Multiple Pin

Pitch 2.5mm T/L 5.0mm W/H 3.6mm
303B-361420-25-02, 2Pin
303B-361420-25-03, 3Pin
303B-361420-25-04, 4Pin



Pogo Pin, Multiple Pin

2Pin Pitch 3.0mm T/L 5.0mm
W/H 3.6mm
303B-361420-30-000

Pogo Pin, Multiple Pin

Right Angle , 3Pin Pitch
3.0mm T/L 5.7mm W/H 4.3mm
303C-451415-30-03

Pogo Pin (Waterproof)



Pogo Pin, Water proof

5Pin, Pitch 2.5mm
T/H 6.6mm, W/H 5.4mm
DIP w/o Cap
303C-541219-25-05

Pogo Pin, Water proof

5Pin, Pitch 2.5mm
T/H 3.0mm, DIP w/o Cap
303-C3018-25-05

FPC (Slide)

FPC, Slide Type

Horizontal, Pitch=0.5mm,
H=2.0mm
311A-XXUAA-R,
Upper Contact
311A-XXLAA-R,
Lower Contact



FPC, Slide Type

Horizontal, Pitch=1.0mm,
H=2.0mm
311B-XXUAA-R,
Upper Contact
311B-XXLAA-R,
Lower Contact



FPC, Slide Type

Vertical, Pitch=0.5mm,
H=2.0mm
312A-XXNAA-R
Normal
312A-XXRAA-R
Reverse



FPC, Slide Type

Vertical, Pitch=1.0mm,
H=2.0mm
312B-XXNAA,
Normal
312B-XXRAA,
Reverse

FPC, Slide Type

Horizontal, Pitch=0.5mm,
H=1.2mm
313A-XXUAA-R,
Upper Contact
313A-XXLAA-R,
Lower Contact

FPC (Flip-Lock)

FPC, Flip-Lock Type

Horizontal, Pitch:0.3mm,
H:1.0mm, Front Flip
317B-XXBAA

FPC, Flip-Lock Type

Horizontal, Pitch:0.5mm,
H:0.9mm
315A-XXBAA-R01

Micro Coaxial RF Connector

Micro Coaxial RF

H=1.25mm
321A-33125

Micro Coaxial RF

H=1.25mm, 3Pad
321A-331251



Micro Coaxial RF

2x2x0.6mm, 4Pad
321C-220601

Battery Connector



Battery Connector, Right Angle

Pitch 2.5, H=4.0, XX Pin, 5u"
304C-4025XX

Battery Connector, Right Angle

Pitch 2.5, H=6.5, XX Pin, 5u"
304C-6525XX

Battery Connector, Vertical

Pitch 2.5, H=2.5, XX Pin, 5u"
304D-2625XX

CABLE SOLUTION

CUSTOMIZED/DESIGN/ASSEMBLY

ATTEND's professional cable solution offering a professional PM / Engineer team, which has the professional experience in cable customized,design, and assembly over a decade.Our specialty including variety of industries from the Data Transmission, Audio / Video, Storage, Network communication, Industrial waterproofing, and high-frequency cables. We dedicated to provide world-class connectivity solutions. Our value proposition is to built on the core principle of "Connect to Your Success". This is a common goal we share with our customers.

This guiding principle drives us to develop integrated service, which allow us to win every promising market and to connect every success in the networking business.

ATTEND Technology was established as a professional connectivity solution provider based in Taiwan since 2002, specialized in various connectors and cable product, including memory card socket, PCB card socket, I/O connector, and cable assembly.

8.FEEDBACK

We materialize the partnership that we emphasize by giving our clients convenient feedback system and fast and comprehen-sive response.

1.SKETCH

The idea derives from your requirements. At the beginning of a project. We provide the draft for developing the solution to your requirement.

7.SHIPPING

We promise our clients to ship on time. Besides, our exclusive order notification will automatically inform the buyer before shipping.



2.DESIGN

Our in-house engineering design team will complete the schematic according to your requirement.

6.TESTING

We test repeatedly since we care. Our rigorous tests bring up high-quality products.

3.PROTOTYPE

After the schematic confirmed by both sides. We will embark on the prototype of cable molding.

5.MANUFACTURE

After having the correct design and prototype, we are able to manufacture to your specifications. ATTEND is dedicated to setting up the standard of excellence in cable assembly manufacturing.

4.TOOLING

With our in-house tool and die equipment for injection mold tooling. Your lead-time and costs for getting the final product will be shortened largely.

Audio / Video

- RCA
- Mini Din
- Audio
- Video
- VGA to S-Video
- VGA to RGB

Storage

- SATA
- USB 2.0 / 3.0
- HDMI
- Mirco USB
- Mini USB
- Flat Cable
- FFC Cable

Data Transfer

- D-SUB to RJ45
- D-SUB to D-SUB
- DC Jack / Plug
- USB M/F to RJ45
- USB M/F to D-SUB
- USB to MircoB
- USB to MiniB

Networking

- CAT5e
- CAT6

Board to Board

- Board to Wire
- Board to Board
- Wire to Wire
- FFC
- FPC

Industrial

- M5
- M8
- M12
- M23
- DIN Plug

High Frequency

- RF Cable Assemblies

Automation

- Robotics
- Machine vision system cable
- Industrial Automated Machinery Cable
- Large Storage System Cable
- HPC (High Performance Computer) System Cable

GLOBAL DISTRIBUTOR

ALBANIA
Comet Electronics Ltd.
District Druzhba 2, 47,
Obikolna Str Sofia 1582, Bulgaria
TEL: +359-2-9155800
FAX: +359-2-8793200
www.comet.bg

AUSTRALIA
GLYN Ltd.
Unit 33, 10 Gladstone Road, Castle Hill,
NSW 2154, Sydney - Australia
TEL: +61-(0)2-9889-2520
FAX: +61-(0)2-9889-2954
www.glyn.com.au

BELGIUM
Alcom electronics nv/sa
Sigel 3, 2550 Kontich,
Belgium
TEL: +32-3-458-30-33

www.alcom.be

BULGARIA
Comet Electronics Ltd.
District Druzhba 2, 47,
Obikolna Str Sofia 1582, Bulgaria
TEL: +359-2-9155800
FAX: +359-2-8793200
www.comet.bg

CHINA
Addcom Solution (Shenzhen)
Unit 1109, Building B, Southern
International Plaza, 3013 Yitian Road,
Futian District, Shenzhen, China
TEL: +86-755-83864328
FAX: +86-755-83864418
www.addcom.com.sg

CHINA
Addcom Solution (Shanghai)
Room 627, No. 2 Office Building, Wanda
Plaza, No. 1095 West JinShaJiang Road
Shanghai China - 201803
TEL: +86-2154357506
FAX: +86-2154357506
www.addcom.com.sg

CROATIA
IC Elektronika d.o.o.
Vodovodna cesta 100,
1001 Ljubljana, Slovenia
TEL: +386-1568-0135

www.ic-elect.si

CZECH REPUBLIC
SOS Electronic s.r.o
Hybešova 42, 602 00 Brno,
Czech Republic
TEL: +420 543 42 71 28
FAX: +420 543 42 71 10
www.soselectronic.cz

ESTONIA
Partco / Elgood Oy
Paldinski mnt 21
Keila 76606, Estonia
TEL: +358-207-981-140

www.elgood.fi

FINLAND
Elgood Oy
Juurakkotie 5B,
01510 VANTAA
Tel: +358 (0)207 981 140

www.elgood.fi/en

FRANCE
ALANTYS Technology
8 rue Jean poulmarch 95100
ARGENTEUIL, FRANCE
TEL: +33 1 30 25 89 05
FAX: +33 1 30 25 89 09
www.alantys.com

GERMANY
AMEC GmbH
Langer Acker 32 30900,
Wedemark, Germany
TEL: +49 (5130) 58642-22
FAX: +49 (5130) 58642-10
www.amec-gmbh.de

GERMANY
TME Germany GmbH
Humboldstrasse 2 04105,
Leipzig, Germany
TEL: +49 341 2120340
FAX: +49 341 21203429
www.tme.eu/de

GREECE
Comet Electronics Ltd.
District Druzhba 2, 47,
Obikolna Str Sofia 1582, Bulgaria
TEL: +359-2-9155800
FAX: +359-2-8793200
www.comet.bg

HONG KONG
Addcom Solution Ltd.
Unit 6A, 8/F, Hopefull Factory Centre,
No. 10-16 Wo Shing Street, Fo Tan,
Shatin, N.T., Hong Kong
TEL: +852-29470728
FAX: +852-29477287
www.addcom.com.sg

HUNGARY
TME Hungary Kft.
Hermina út 17
1146, Budapest, Hungary
TEL: +36-1-220-67-56

www.tme.eu/hu

HUNGARY
SOS Electronic Kft.
József Attila út 74. 3527
Miskolc, Hungary
TEL: +36 46 501 380

www.soselectronic.hu

INDIA
Fides Electronics Pvt Ltd.
Tulasi House, No 27 & 26,
SFHS Area,Radial Road
Nandini Layout, Bangalore-560096
TEL: +91-80-2359-1101
fideselectronics.net

INDIA
Onyx Components & Systems®Ltd.
6-1-85/4, 1st & 2nd floors, Opp.
Telephone Bhavan, Saifabad,
Hyderabad, 500 004, India
TEL: +91-40-2323-7230
FAX: +91-40-6663-1800
onyxindia.com

INDIA
SM Electronic
Technologies Pvt. Ltd.
No. 2, 8th Block, Service Road,
Malagala,2nd Stage,
Nagarabhavi, Bengaluru-560072, India
TEL: +91 80 667 34567
www.smetgroup.com

ITALY
Orvem S.p.A.
Via Sacco e Vanzetti, 34,
20099 - Sesto San Giovanni,
Milano – Italy
TEL: +39 02 34541160
www.orvem.com

JAPAN
ALTEX Corporation
3F, 2-10-1 Nakaizumi, Komae-shi,
201-0012 Tokyo, JAPAN
TEL: +81-3-5497-5331
FAX: +81-3-5497-5335
www.altexcorp.co.jp

LUXEMBOURG
Alcom electronics nv/sa
Sigel 3,
2550 Kontich, Belgium
TEL: +32-3-458 30 33

www.alcom.be

MACEDONIA
Comet Electronics Ltd.
District Druzhba 2, 47,
Obikolna Str Sofia 1582, Bulgaria
TEL: +359-2-9155800
FAX: +359-2-8793200
www.comet.bg

MALAYSIA
Addcom Solution (M) Sdn Bhd
No. 36 1st Floor, Persiaran Mahsuri ½,
Sunway Tunas, 11900 Bayan Lepas
Penang, Malaysia
TEL: +60-04-646-9223
FAX: +60-04-646-9112
www.addcom.com.sg

MEXICO
World Micro Components of
Mexico S de RL de CV
TEL: 333-844-54-33
www.worldmicro.com

MONTENEGRO
Comet Electronics Ltd.
District Druzhba 2, 47,
Obikolna Str Sofia 1582, Bulgaria
TEL: +359-2-9155800
FAX: +359-2-8793200
www.comet.bg

NETHERLANDS
TOP ELECTRONICS
Maerlandtweg 16, 2921 LC Krimpen aan
den IJssel, The Netherlands
TEL: +31(0)180-580 492

top-electronics.com

NETHERLANDS
Alcom electronics bv
Rivium 1e straat 52,2909 LE Capelle aan
den Ijssel, Netherlands
TEL: +31-10-288 2500
FAX: +31-10-288-2525
www.alcom.nl

NEW ZEALAND
Apex Electronics
1st Floor, 175 Vivian Street, Wellington
6011, New Zealand
TEL: +64-4-385 3404
FAX: +64-4-385 3483
nz.apexelex.com

NEW ZEALAND
GLYN Ltd.
Unit 3, 59 Paul Matthews Road, Rosedale,
North Shore, Auckland, New Zealand 0632
TEL: +64-9-4159150
FAX: +64-9-4139360
glyn.co.nz

PHILIPPINES
Addcom Solution Pte Ltd.
66 Vinzon Corner Gencito Streets BF
Paranaque City, Philippines 1700
TEL: +65-6844-2788
FAX: +65-6744-7928
addcom.com.sg

POLAND
Transfer Multisort Elektronik
Sp. z o.o.
90-951 Łódź 40, PO BOX 2071, POLAND
TEL: +48-42-645-54-44
FAX: +48-42-645-54-10
tme.eu/pl

ROMANIA
Transfer Multisort Elektronik
B-dul Regele Carol I, nr36, Apartament 10
300180 Timisoara, Romania
TEL: +40-356467401
FAX: +40-356467402
www.tme.eu

ROMANIA
Comet Electronics Ltd.
District Druzhba 2, 47,
Obikolna Str Sofia 1582, Bulgaria
TEL: +359-2-9155800
FAX: +359-2-8793200
www.comet.bg

RUSSIA
RADIOTECH-LOGISTIC LLC
127015, Россия, г. Москва ул. Новодмитровская,
д.2, корп.2, этаж 14, офис "Радиотех"
TEL: +7 495 7950805

www.rct.ru

SERBIA
Comet Electronics Ltd.
District Druzhba 2, 47,
Obikolna Str Sofia 1582, Bulgaria
TEL: +359-2-9155800
FAX: +359-2-8793200
www.comet.bg

SINGAPORE
Addcom Solution Pte Ltd. (HQ)
50 Kallang Pudding Road #03-01A, AMA
Building, Singapore 349326
TEL: +65-6844-2788
FAX: +65-6744-7928
addcom.com.sg

SLOVAKIA
SOS electronic s.r.o
Pri Pracharni 16, 040 11 Kosice,
Slovak Republic
TEL: +421-55-786-0422
FAX: +421-55-786-0445
www.sos.sk

SLOVENIA
IC Elektronika d.o.o.
Vodovodna cesta 100,
1001 Ljubljana, Slovenia
TEL: +386-15680135

www.ic-elect.si

SOUTH AFRICA
OTTO MARKETING
Unit 06 Anglo Industrial Park, 319
Waltloo rd, Pretoria, South Africa 0184
TEL: +27 12 803 7373
FAX: +27 12 803 7374
ottomarketing.co.za

SOUTH KOREA
ST NET
#25-217, International Distribute Complex,
555-9, Hogye-dong, Dongan-gu, Anyang-si,
Gyeonggi-do, 14117, Korea
Tel: +82-31-8059-1925
www.stnet.co.kr/en

SOUTH KOREA
P&C TECH INC.
Room 817, ACE kulara kyo, 17 Daehak
4-Ro, Yeongtong-Gu, Suwon-Si,
Gyeonggi-Do, Korea (ZIP:16226)
TEL: +82-31-211-3526
FAX: +82-31-211-3524
www.pnc-tech.net

SPAIN
Matrix Electrónica S.L.
Alejandro Sánchez ,109, 28019 Madrid,
ESPAÑA (SPAIN)
TEL: +34-902-19-81-46
FAX: +34-902-99-54-14
www.matrix.es

SPAIN
Transfer Multisort
Elektronik S.L.U.
Calle Rejas 2, Planta 3, Oficina 21
28821 Coslada (Madrid)
TEL: +0034-911-234-771
www.tme.eu/es

THAILAND
Addcom Technologies Co. Ltd.
No 99/349 Moo 2, Na-Nakron Building 2nd
floor Chaengwatana Road, Tungsonghong,
Laksi Bangkok, 10210, Thailand
TEL: +662-576-1988
FAX: +662-576-1987
addcom.com.sg

TURKEY
EKOM Elk. Elektronik San. Tic. A.Ş.
Beylikduzu OSB Mah. Hurriyet Bulvari
No:10,D:9, 34524, Beylikduzu, Istanbul
TEL: +90-212-590-9715
FAX: +90-212-421-0584
www.ekom-ltd.com

TURKEY
KAYRA ELEKTRONIK
Atasehir Bulvari ATA 3/3 Plaza K:4 D:39
Atasehir/İstanbul, Turkey
TEL: +90-216-456-83-36
FAX: +90-216-456 83 38
kayraelektronik.com.tr

TURKEY
ÖZDİSAN ELEKTRONİK A.Ş.
DES Sanayi Sitesi 104 Sokak A07 Blok
No : 54 - 56 Yukarı Dudullu / Ümraniye /
İstanbul – Turkey
TEL: +90(216) 420 1882
FAX: +90 216 466 36 82
www.ozdisan.com

USA
NAC Semi
1790 Commerce Ave N, St. Petersburg,
FL 33716
TEL: +1-727-828-0187

www.nacsemi.com

USA
World Micro Inc.
205 Hembree Park Drive Suite 105
Roswell GA 30076
TEL: +1-(770) 698-1900
FAX: +1-(770) 698-1901
www.worldmicro.com

USA
Breiz ELEC, INC.
10100 W Sam Houston Pkwy S,
Unit#380, HOUSTON, TX 77099
Tel: +1-713-623-8440

www.breizelec.com

VIETNAM
Addcom Solution
337 Nguyen Thai Binh Street,
Tan Binh Dist, Ho Chi Minh City,
Vietnam
TEL: +84-08-3810-7677
FAX: +65-6744-7928
addcom.com.sg

ATTEND
Connect to Your Success

221新北市汐止區新台五路一段81號10樓之6
10F-6 No. 81, Sec. 1, Xintai 5th Rd., Xizhi District,
New Taipei City, Taiwan, 22101
TEL: +886-2-2698-7028 FAX: +886-2-2698-7078
WEBSITE: www.attend.com.tw

2021.08版